

# Ĵoker<sup>2</sup>

designed by  $\frac{K 5600}{L \mid G \mid H \mid T \mid N \mid G}$ 









Since 1992, K5600 Lighting has been creating innovative lighting systems for the film, TV and photographic world. For 25 years, the company has been introducing such iconic lights as the Jokers and the Alphas but also unique accessories such as the Softube and the Bug A Beam adapter for Jo Leko. Over the years K5600 has remain a human size company driven by passion and service. Today, K5600 Lighting is presenting a totally redesigned Joker range with improvements to make them even better, but also features such as Wireless DMX and quick & easy switch to tungsten.














# Joker<sup>2</sup> 400W

# Joker<sup>2</sup> 800W

# Joker<sup>2</sup> 1600W

### SPECIFICATIONS / WEIGHT / SIZE

----- 267mm ------ 180 mm -----



Joker<sup>2</sup> 400w Kit includes : Joker<sup>2</sup> Head with Beamer and bulb (5600K or 3200K), 400W Electronic Hi Speed and Wi-Fi Ballast, Barndoor, Set of lenses, 7,50m Extension, Fly Case.

## **HEAD**

**Joker<sup>2</sup> 400W WEIGHT / SIZES:** 2.00 Kg – 26,7 x 18 x 23,7 cm

LAMP TYPE: GZZ 9,5-400W UV Block single ended (5600K or 3200K)

**BEAM ANGLE:**  $4-60^{\circ}$ 

MOUNTING: 16mm (diameter)

BARNDOOR DIAMETER / SPEEDRING: 165 mm (CHIM9780OP)

**SCRIM SIZE:** 6-5/8"

**KIT WEIGHT / SIZES:** 19 Kg - 41 x 46 x 38 cm

#### **BALLAST**

BALLAST WEIGHT / SIZES (H X W X L): 4Kg - 27 x 21 x 7.5cm

ELECTRICAL CONSUMPTION: 1,9A @ 230V - 4A @ 110V autoselect

**DIMMER CONTROL, HI SPEED & WIFI** 

## SPECIFICATIONS / WEIGHT / SIZE

----- 327mm ------ 215mm ------



Joker<sup>2</sup> 800w Kit includes: Joker<sup>2</sup> Head with Beamer and bulb (5600K or 3200K), 800W Electronic Hi Speed and Wi-Fi Ballast, Barndoor, Set of lenses, 7,50m Extension, Fly Case.

# **HEAD**

Joker<sup>2</sup> 800W WEIGHT / SIZES: 4,20 Kg - 32,7 x 21,5 x 30 cm

**LAMP TYPE:** G22-800W UV Block single ended (5600K or 3200K)

**BEAM ANGLE:**  $5-60^{\circ}$ 

MOUNTING: 16mm (diameter)

BARNDOOR DIAMETER / SPEEDRING: 197 mm (CHIM9780OP)

**SCRIM SIZE:** 7-3/4"

**KIT WEIGHT / SIZES:** 22 Kg - 41 x 46 x 38 cm

#### **BALLAST**

BALLAST WEIGHT / SIZES (H X W X L): 5.9Kg - 32 x 22 x 9 cm

**ELECTRICAL CONSUMPTION:** 3,7A @ 230V – 8A @ 110V autoselect

**DIMMER CONTROL, HI SPEED & WIFI** 

# SPECIFICATIONS / WEIGHT / SIZE

- 485mm ----- 263mm -----



<u>Joker<sup>2</sup> 1600w Kit includes</u>: Joker<sup>2</sup> Head with Beamer and bulb (5600K), 1600W Electronic Hi Speed and Wi-Fi Ballast, Barndoor, Set of lenses, 7,50m Extension, Fly Case.

### **HEAD**

**Joker<sup>2</sup> 1600W WEIGHT / SIZES:** 7,40 Kg – 48,5 x 26,3 x 39 cm

**LAMP TYPE:** G22-1600W UV Block single ended (5600K)

**BEAM ANGLE:**  $5-60^{\circ}$ 

**MOUNTING:** 16mm – 28mm (diameter)

BARNDOOR DIAMETER / SPEEDRING: 230 mm (CHIM9780OP)

SCRIM SIZE: 9"

**KIT WEIGHT / SIZES:** 32 Kg – 59 x 47 x 37 cm


#### **BALLAST**

BALLAST WEIGHT / SIZES (H X W X L): 6Kg - 32 x 22 x 9 cm

**ELECTRICAL CONSUMPTION:** 7,4A @ 230V – 16A @ 110V

autoselect

**DIMMER CONTROL, HI SPEED & WIFI** 



**K5600 LIGHTING** Europe Mid-East Africa, 475 rue de flins, 78410 Bouafle – France

Tel: +33130905600 Email: <u>info@k5600.eu</u> site: www.k5600.eu